



The most advanced
ULV Foggers for
Aerial Disinfection


NANOFOG[®]
FOGGERS

About IDEALIN FOGGING SYSTEMS

We are pioneers in the field of manufacturing ULV foggers. Our foggers have been in use since 2002 and clients have testified on paper the efficiency and superior performance of our foggers, along with our prompt and effective after-sales-services. All foggers are CE and ROHS certified and built to last for years of service. We are the only company to offer a 3 Yr limited warranty, on our much superior 20 series foggers. Globally, we have reached Argentina, Bangladesh, Bhutan, Cote D'Ivoire, Ireland, Japan, Kenya, Kuwait, Latvia, Netherlands, Nigeria, Pakistan, Russia, Saudi Arabia, Singapore, Sri Lanka, Tanzania, Thailand, Turkey, United Kingdom, Vietnam, Zambia.

List of eminent clients

- | | |
|--|--|
| <input type="checkbox"/> Wockhardt Hospital Group | <input type="checkbox"/> Aristo Pharmaceuticals Pvt. Ltd. |
| <input type="checkbox"/> Astra Lifecare (I) Pvt. Ltd. | <input type="checkbox"/> Bharat Heavy Electricals Limited (BHEL) |
| <input type="checkbox"/> Alkem Laboratories Ltd. | <input type="checkbox"/> Institute of Kidney Diseases and Research Centre, Ahmedabad |
| <input type="checkbox"/> AIIMS, New Delhi | <input type="checkbox"/> King Edward Memorial Hospital (KEM), Mumbai |
| <input type="checkbox"/> Crystalin Research Pvt. Ltd. | <input type="checkbox"/> Sri Sathya Sai General Hospital |
| <input type="checkbox"/> Dabur Foods Ltd. | <input type="checkbox"/> Star Dental Centre Pvt. Ltd. |
| <input type="checkbox"/> Hindustan Unilever Ltd. Group | <input type="checkbox"/> Johnson & Johnson Medical |
| <input type="checkbox"/> Lupin Ltd. | <input type="checkbox"/> Hospira Healthcare India Pvt Ltd. |
| <input type="checkbox"/> Indian Immunologicals Ltd. | <input type="checkbox"/> Mylan Laboratories Ltd. |
| <input type="checkbox"/> ITC LTD. Group | <input type="checkbox"/> Novartis Ltd. |



NANOFOG®
FOGGERS

Nanofog is a series of the latest developments in ULV foggers that are used in spraying of water & oil based liquids in fine particle form for disinfection, pest/germ/odour control applications etc. There are 8 different models to choose from. All the foggers run on a high speed FHP motor that provides maximum thrust of spray, suitable for fogging. All models are portable products. Entire body and internal parts are made of materials that resist corrosion and chemical attack. The storage tank ranges from 6.5 Ltrs. (SS316L grade) To 8 Ltrs. (HDPE grade), sufficient enough to dispense chemical combinations in various proportions. NANOFOG is thus the most ideal solution to meet all fogging needs.

Applications

Disinfection, Pest / Germ / Odour control in

- | | |
|---|---------------------------------------|
| <input type="checkbox"/> Hospitals | <input type="checkbox"/> Laboratories |
| <input type="checkbox"/> Pharma | <input type="checkbox"/> Clean Rooms |
| <input type="checkbox"/> Healthcare | <input type="checkbox"/> Biotech |
| <input type="checkbox"/> Tissue Culture | |

Also in

- Dairy
- Pest Control
- Food Processing
- Hatcheries



“Presenting the all new and much superior **20 SERIES**”



Model: 2017 PFD

Plastic tank
8 Ltr.

**3 YRS. / 450 Hrs.
Limited WARRANTY ***
for all 20 SERIES
Models

Special features



SS316 Grade
Flow Control Mechanism



Digital Timer
with inbuilt Hour Counter



SS316 Grade
Nozzle Assembly

Specifications	2017 (PFD)	2018 (SFD)	2019 (PD)	2020 (SD)
Timer Devices	Digital Timer (1 ~ 99 Min)			
Working Hours Counter	Available			
Particle Size	0 to Sub microns		Sub microns	
Liquid Flow Rate	1 ~ 3 Ltrs. / Hr. (Adjustable)		3 Ltrs. / Hr. (Fixed)	
Flow control Mechanism	Available SS 316		Not Applicable	
Nozzle System	SS 316 grade			
Tank Capacity	8 Ltrs.	6.5 Ltrs.	8 Ltrs.	6.5 Ltrs.
Noise level	< 85 db @ 1 Meter			
Air Filter	Triple stage with clamp			
Area Coverage	> 16,000 Cubic. Fts.			
Motor Speed	22,000 RPM (Approx.)			
Power Supply	230 VAC, 50/60 Hz.			
Material Of Construction (MOC)	Hardware: SS 304. Strainer, Nipples: SS 316. Tubings: Silicon grade (FDA & USP CLASS VI Compliant)			
Dry Weight	7 ~ 8 Kgs.			

Other special features

- UL & CE approved Motor (22000 rpm)
- Clamped Triple Stage Air-Filter
- Particle Size: Sub-microns



Model: 2018 SFD



SS316 L grade
6.5 Ltr.

NANOFOG®
FOGGERS

* Standard warranty terms apply



10 Series



Other special features

- UL & CE approved Motor (20000 rpm)
- Clamped Double Stage Air-Filter
- Particle Size: Sub-microns

1 YR. Limited WARRANTY *
for all 10 Series Models



Specifications	1017 (PFE)	1018 (SFE)	1019 (PE)	1020 (SE)
Timer Devices	Electronic Timer (Adjustable 5 ~ 60 Min)			
Working Hours Counter	Not available			
Particle Size	Sub microns			
Liquid Flow Rate	1 ~ 5 Ltrs. / Hr. (Adjustable)	5 Ltrs. / Hr. (Fixed)		
Flow control Mechanism	Available SS 304		Not Applicable	
Nozzle System	Engg. Plastic			
Tank Capacity	8 Ltrs.	6.5 Ltrs.	8 Ltrs.	6.5 Ltrs.
Noise level	< 85 db @ 1 Meter			
Air Filter	Double stage with clamp			
Area Coverage	> 15,000 Cubic. Fts.			
Motor Speed	20,000 RPM (Approx.)			
Power Supply	230 VAC, 50/60 Hz.			
Material Of Construction (MOC)	Hardware: SS 304. Strainer, Nipples: SS 304. Tubings: Silicon grade (FDA & USP CLASS VI Compliant)			
Dry Weight	7 ~ 8 Kgs.			

Optional Accessories



ROTOSTAND

This Rotating Device (oscillating equipment) was introduced by us years ago, for portable foggers and humidifiers in India. The ROTOSTAND vastly improves the efficiency of our fogging system by way of its following features.

- Variable Oscillating Degrees (upto 120°) ensures greater area coverage than other foggers.
- Useful for large production halls and departments.
- Rotation of the machine ensures "equal" distribution of the fog particles in the air.
- NIL maintenance and trouble free operation.

Testimonials



Few more testimonials

- We are very much satisfied with the performance and efficiency of their ULV FOGGER & ROTOSTAND. - **Jai Research Foundation (Vapi).**
- The preferred results of fogging job are easily achieved using their ULV foggers. - **S R Mineral Water Pvt Ltd (Chennai).**
- We have been using the fogger supplied by them since > 7 years now for the purpose of aerial disinfection in our OT. - **Zynova Heart Hospital (Mumbai).**
- We have procured > 2000 foggers from them and satisfied with the performance of the fogger. - **Microgen India Pvt Ltd (Mumbai).**

Dealer / Distributor



Mfg. by:

IDEALIN FOGGING SYSTEMS

526/6, Bhagyalaxmi Estate, Near Manpasand Weigh Bridge, Rakanpur, Santej Road, Dist. Gandhinagar - 382721. GUJARAT. INDIA. E-mail: info.foggers@gmail.com

Mktd. by:

GREEN SOLUTIONS

A-503, Simandhar Tower, Off. Judges Bungalow Road, Bodakdev, Ahmedabad - 380054. GUJARAT. INDIA. E-mail: greensolutions.51@gmail.com